

dressing rooms

Multipurpose Room A

Area: 23' X 23'

Up Stage Left

Share washroom and shower with multipurpose room B

16 phone jacks, 8 data jacks

Multipurpose Room B

Area: 23' X 19'

Up Stage Left

Share washroom and shower with multipurpose room A

4 phone jacks, 2 data jacks

Male Officials Locker Room

Area: 10' X 16'

Up Stage Right

Private toilet/shower

2 phone jacks, 1 data jacks

Female Officials Locker Room

Area: 8' X 16'

Up Stage Right

Private toilet/shower

2 phone jacks, 1 data jack and television

Studio B

Area: 23' X 15'

Up Stage Left

No private washroom facility

8 phone jacks, 4 data jacks

Relatives/Friends Waiting Room

Area: 24' X 20'

Up Stage Left

Private washroom facility (no shower)

4 phone jacks, 2 data jacks

Tour Catering (Rogers Media Room)

Subject to service charge

Area: 55' X 23' plus attached room 15' X 15'

Up Stage Left

Multiple phone/data jacks and televisions

visiting hockey/ basketball facility

There are two separate washroom facilities including multiple showers, toilets, urinals, sinks, and mirrors between the 4 available rooms, located Up Stage Left.

Visiting Hockey / Basketball Team Room

Area: 26' X 30'

1 phone jack, 1 data jack

Dressing Room 2

(only available during the off-season)

Area: 15' X 25'

2 phone jacks, 1 data

Dressing Room 3

Area: 25' X 23'

2 phone jacks, 1 data jack

Dressing Room 4 / Studio C

Area: 25' X 15'

2 phone jacks, 1 data jack

fork lift information

4 Fork Lifts available

(1) Clark - 8,000 lbs lifting capacity

(1) Cat - 8,000 lbs lifting capacity

(1) Clark - 4,000 lbs lifting capacity

(1) Clark - 5,000 lbs lifting capacity

environmental control

Bowl is controlled internally. Rooms can be individually controlled with wall thermostat.

rigging information

Height from Floor to Low Steel:

93' 6" Rigging from low steel is available

Height from Floor to High Steel:

110', Can not rig from high steel

Distance between beams:

12'

Beams run from Stage Right to Stage Left:

12' x 12' Grid 1

Maximum loading capacity:

200,000 lbs in West or 200,000 lbs at Centre
or 200,000 lbs at East

Height to under side of Scoreboard:

62' in high trim

Maximum weight:

2,000 lbs every 6'.

in house curtaining system

Curtain is 24 oz black velour with 50% fullness
dasher to dasher and 0% fullness dasher to
outside wall.

Curtain is inherently fireproof. May be deployed in
various configurations (contact Event Coordinator for
details).

show services

- (34) 8 foot x 30" tables
- (8) 6 foot tables
- (4) Arm chairs
- (5) End tables
- (6) sofas
- (4) love seats
- (7) floor lamps
- (4) coffee tables
- 1, 600 chairs, fully padded, 18 ½ " wide
- Stanchions
- (19) Tensa barriers

house lighting

Event lighting with controlled shutter

Work lights (with re-strike time of 10 minutes and a 5-minute warm up time)

16 Martin Pals

- In 2 clusters of 6, hung above the blue lines
- 4 under corners of centre scoreboard

spot lights

(8) Gladiator II moveable spot lights

Positions are available on the Catwalk subject to throw angles to stage.

All are wired for Clear Com Intercom.

show power

Location 1 – Concert power is located Up Stage Right - 80' to Up Stage Centre

Location 2 – Theatre power is located Up Stage Left - 200' to Up Stage Centre

1600 amp splitter 120/208 volt, 3 phase / 4 wire with following disconnects:

- 200 amp 3 phase 120/208 volt
- 400 amp 3 phase 120/208 volt

2000 amp splitter 120/208 volt, 3 phase / 4wire with following disconnects:

- 200 amp 3 phase 120/208 volt
- (4) 400 amp 3 phase 120/208 volt
- 600 amp 3 phase 120/208 volt

If show is touring generators, they would be parked on West Plaza, Street level, 250' of cable required to Up Stage Centre.

shore/practice court power

Outside Power:

All accessed from within building.

Located outside at Southwest corner of building
(corner of York Street and Lakeshore Boulevard.)

Inside Power:

(5) 200 amp disconnects in loading dock area

Practice Court Power:

(1) 100 amp 3 phase 120/208 volt

sound/public address system

- 4 loudspeaker arrays in the main seating bowl. Each array consists of Bose Panaray LT Loudspeakers for mid and hi frequencies, and Bose 502 BEX Bass cabinets above the arrays and directed to steer bass away from centre arena and out into the seating.
- 4 Channel Clear Com intercom in-house system with patch points on all levels
- Patch Bay/bulk heads through the building enabling access to sound routing and audio control room configuration and processing.
- 2 Marantz PMD320 CD players & 1 Marantz PMD 500 dual cassette deck patchable to any place in the building.
- Bose amplifier system throughout the arena.
- Upper level seating is enhanced by time corrected Bose 402 speakers.
- Acoustical treatment at the East and West ends to minimize reflections and increase intelligibility.
- Bose model 32/25 speakers positioned throughout the main corridors and at every main entrance.
- All amplifiers for the building are computer controlled from the main audio room through Bose proprietary technology with the overall system controlled and monitored by BSS Soundweb Technology.
- JBL powered speakers on stands suitable for up to 200 people.
- Tascam DA.30 DAT player/recorder.